



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 1: IDENTIFICATION

- 1.1 Product identifier:** KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap
- Other means of identification:**
Non-applicable
- 1.2 Recommended use of the chemical and restrictions on use:**
Relevant uses (Professional users):
- Hand cleaner
Relevant uses (Industrial user):
- Hand cleaner
For Professional users/Industrial user only.
Uses advised against:
- All uses not specified in this section or in section 7.3
- 1.3 Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party:**
BradyPLUS
7055 Lindell Road
89118 Las Vegas - NV - United States
Phone: (877) 788-PLUS
BradyPLUS.com
- 1.4 Emergency phone number:** CHEMTREC: 01-800-424-9300

SECTION 2: HAZARD(S) IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
29 CFR 1910.1200:
While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
- 2.2 Label elements:**
29 CFR 1910.1200:
None
- Additional labeling:**
Keep out of the reach of children
- 2.3 Hazards not otherwise classified (HNOC):**
Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substances:**
Non-applicable
- 3.2 Mixtures:**
Chemical description: Aqueous solution based on surfactants, perfume and colourant.
Components:
According to APPENDIX D TO §1910.1200- Composition/information on ingredients, none of the substances which are classified as health hazards are present above their cut-off/concentration limits

SECTION 4: FIRST-AID MEASURES

- 4.1 Description of necessary measures:**
Consult a doctor in case of discomfort with this Safety data Sheet.
- By inhalation:**
In case of symptoms, move the person affected into fresh air.
- By skin contact:**

- CONTINUED ON NEXT PAGE -

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

Page 1/10



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 4: FIRST-AID MEASURES (continued)

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this SDS.

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor with the SDS of this product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Specific hazards arising from the chemical:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

- CONTINUED ON NEXT PAGE -



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026 Date of compilation: 11/24/2025 Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 41 °F

Maximum Temp.: 86 °F

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification	Occupational exposure limits	
	8-hour TWA PEL	Ceiling Values - TWA PEL
Silicic acid, calcium salt CAS: 1344-95-2	5 mg/m ³	
Glycerol CAS: 56-81-5	5 mg/m ³	

- CONTINUED ON NEXT PAGE -



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

US. ACGIH Threshold Limit Values (2022):

Identification	Occupational exposure limits		
	TLV-TWA		
Tetrasodium hexacyanoferrate CAS: 13601-19-9	TLV-TWA		1 mg/m ³
	TLV-STEL		2 mg/m ³
Glycerol CAS: 56-81-5	TLV-TWA		10 mg/m ³ (Total) 3 mg/m ³ (Respirable)
	TLV-STEL		
Benzyl acetate CAS: 140-11-4	TLV-TWA	10 ppm	
	TLV-STEL		

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupational exposure limits		
	PEL		
Silicic acid, aluminum sodium salt CAS: 1344-00-9	PEL		2 mg/m ³
	STEL		
Silicic acid, calcium salt CAS: 1344-95-2	PEL		10 mg/m ³ (Total) 5 mg/m ³ (Respirable)
	STEL		
Tetrasodium hexacyanoferrate CAS: 13601-19-9	PEL		1 mg/m ³
	STEL		
Glycerol CAS: 56-81-5	PEL		10 mg/m ³ (Total) 5 mg/m ³ (Respirable)
	STEL		
Benzyl acetate CAS: 140-11-4	PEL	10 ppm	61 mg/m ³
	STEL		

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Bodily protection

Non-applicable

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

It is not necessary to take additional emergency measures.

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

40 CFR Part 59 (VOC):

V.O.C.(weight-percent): 0.84 % weight

V.O.C. at 68 °F: 0.07 kg/m³ (0.07 g/L)

- CONTINUED ON NEXT PAGE -

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

California Air Resources Board (CARB) - VOC Regulatory:

V.O.C.(weight-percent): 0.84 % weight

V.O.C. at 68 °F: 0.07 kg/m³ (0.07 g/L)

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

V.O.C.(weight-percent): 0.84 % weight

V.O.C. at 68 °F: 0.07 kg/m³ (0.07 g/L)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent): 0.84 % weight

V.O.C. at 68 °F: 0.07 kg/m³ (0.07 g/L)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 68 °F: Liquid

Appearance: Viscous

Color: Pink

Odor: Floral

Volatility:

Boiling point at atmospheric pressure: ≈373 - 455 °F

Vapour pressure at 68 °F: 2343 Pa

Vapour pressure at 122 °F: 12346.61 Pa (12.35 kPa)

Evaporation rate at 68 °F: Non-applicable *

Product description:

Density at 68 °F: ≈8.6 kg/m³

Relative density at 68 °F: 1.013

Dynamic viscosity at 68 °F: ≈3000 - 4000 mPa·s

Kinematic viscosity at 68 °F: Non-applicable *

Kinematic viscosity at 104 °F: >20.5 mm²/s

Concentration: Non-applicable *

pH: Non-applicable *

Vapour density at 68 °F: Non-applicable *

Partition coefficient n-octanol/water 68 °F: Non-applicable *

Solubility in water at 68 °F: Non-applicable *

Solubility properties: Highly water-soluble (at 100 %)

Decomposition temperature: Non-applicable *

Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: Non Flammable (>199.4 °F)

Flammability (solid, gas): Non-applicable *

Autoignition temperature: 648 °F

Lower flammability limit: Non-applicable *

Upper flammability limit: Non-applicable *

Particle characteristics:

*Non-applicable due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met
- Contact with the eyes: Based on available data, the classification criteria are not met

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met
IARC: Benzyl acetate (3: Not classifiable as to its carcinogenicity to humans)
- Mutagenicity: Based on available data, the classification criteria are not met
- Reproductive toxicity: Based on available data, the classification criteria are not met

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met
- Skin: Based on available data, the classification criteria are not met

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
- Skin: Based on available data, the classification criteria are not met

H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Non-applicable

12.2 Persistence and degradability:

Non-applicable

12.3 Bioaccumulative potential:

Non-applicable

12.4 Mobility in soil:

Highly water-soluble

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

- CONTINUED ON NEXT PAGE -



KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CONTINUED ON NEXT PAGE -

KL-SCHSO10 - Kleen Line Essentials Pink Liquid Hand Soap

Printing: 3/12/2026

Date of compilation: 11/24/2025

Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE - The Hazardous Substances List: *Silicic acid, aluminum sodium salt (1344-00-9)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Benzyl acetate (140-11-4)*
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): *Water (7732-18-5)*; *Sodium chloride (7647-14-5)*; *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*; *C.I.Acid Red 52 (3520-42-1)*; *Magnesium nitrate (10377-60-3)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *2-methylisothiazol-3(2H)-one (2682-20-4)*; *Acrylate/styrene copolymer (68240-06-2)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)*; *Glycerol (56-81-5)*; *Propane-1,3-diol (504-63-2)*; *Ammonium Laureth Sulfate (32612-48-9)*; *Ammonium dodecyl sulphate (2235-54-3)*; *Coconut monoethanolamide (68140-00-1)*; *1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*; *Benzyl acetate (140-11-4)*; *Oxydipropanol (25265-71-8)*
- CANADA-Non-Domestic Substances List (NDSL): *Hydrogen 9-(2,4-disulphonatophenyl)-3,6-bis(ethylamino)-2,7-dimethylxanthylum, monosodium salt (5873-16-5)*
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7) - 1000 lb*; *2-phenoxyethyl isobutyrate (103-60-6) - 1 lb*
- Hazardous Air Pollutants (Clean Air Act): *2-phenoxyethyl isobutyrate (103-60-6)*
- Massachusetts RTK - Substance List: *Silicic acid, calcium salt (1344-95-2)*; *Magnesium nitrate (10377-60-3)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*
- Minnesota - Hazardous substances ERTK: *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*; *Glycerol (56-81-5)*; *Benzyl acetate (140-11-4)*
- New Jersey Worker and Community Right-to-Know Act: *Silicic acid, calcium salt (1344-95-2)*; *Magnesium nitrate (10377-60-3)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*; *Benzyl acetate (140-11-4)*
- New York RTK - Substance list: *Magnesium nitrate (10377-60-3)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *2-phenoxyethyl isobutyrate (103-60-6)*
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*; *Magnesium nitrate (10377-60-3)*; *Glycerol (56-81-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*; *Oxydipropanol (25265-71-8)*
- Protective Action Criteria (PAC) with AEGs, ERPGs, & TEELs: *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *Tetrasodium hexacyanoferrate (13601-19-9)*; *Magnesium nitrate (10377-60-3)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *Glycerol (56-81-5)*; *Propane-1,3-diol (504-63-2)*; *Benzyl acetate (140-11-4)*
- Rhode Island - Hazardous substances RTK: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *2-phenoxyethyl isobutyrate (103-60-6)*
- SB-258 Cleaning Product Right to Know Act : *1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*
- The Toxic Substances Control Act (TSCA) : *Water (7732-18-5)*; *Sodium chloride (7647-14-5)*; *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*; *Hydrogen 9-(2,4-disulphonatophenyl)-3,6-bis(ethylamino)-2,7-dimethylxanthylum, monosodium salt (5873-16-5)*; *C.I.Acid Red 52 (3520-42-1)*; *Magnesium nitrate (10377-60-3)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *2-methylisothiazol-3(2H)-one (2682-20-4)*; *Acrylate/styrene copolymer (68240-06-2)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)*; *Glycerol (56-81-5)*; *Propane-1,3-diol (504-63-2)*; *Ammonium Laureth Sulfate (32612-48-9)*; *Coconut monoethanolamide (68140-00-1)*; *1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*; *Benzyl acetate (140-11-4)*; *Oxydipropanol (25265-71-8)*
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): *Magnesium nitrate (10377-60-3)*; *1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)*; *2-phenoxyethyl isobutyrate (103-60-6)*

Relevant instructions for use:

Place enough product on your palm and scrub thoroughly over all surfaces of both hands. Rinse with clean water.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and regulations.

- CONTINUED ON NEXT PAGE -

SECTION 15: REGULATORY INFORMATION (continued)

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

Non-applicable

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

NFPA:

Health Hazards: 0

Flammability Hazards: 0

Instability Hazards: 0

Special Hazards: Non-applicable



Date of compilation: 11/24/2025

Information in this Safety Data Sheet (SDS) is based on sources other than direct test data and is given in good faith. No warranty is expressed or implied. We believe that the information is current as of the date of this SDS. The use of this information, the conditions, the methods of handling, storage, use and disposal of the product are not within the control of the manufacturer and distributor, therefore it is the user's responsibility and obligation to determine the conditions of the safe use of this product and to ensure that its activities comply with all laws and regulations.

END OF SAFETY DATA SHEET